

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4973	bolometer or microbolometer or micro-bolometer or (thermal adj (sensor or detector)) and (gap or bridge or legs or cavity or elevated or space) and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:02
L2	643	250/338.3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:00
L3	170	1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L4	1810	250/338.1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:01
L5	381	1 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L6	855	250/338.4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:01
L7	279	1 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03

EAST Search History

L8	380	250/339.02	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:01
L9	60	1 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:01
L10	1762	250/330	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:01
L11	168	1 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L12	1829	250/332	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:01
L13	356	1 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L14	9278	bolometer or microbolometer or micro-bolometer or ((thermal or infrared) adj (sensor or detector)) and (gap or bridge or legs or cavity or elevated or space) and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:28
L15	207	14 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03

EAST Search History

L16	485	14 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L17	339	14 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L18	248	14 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L19	460	14 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:03
L20	4364	2 or 4 or 6 or 8 or 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:04
L21	879	20 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:05
L22	51	21 and beam with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:10
L24	943	(bolometer or microbolometer or micro-bolometer or ((thermal or infrared) adj (sensor or detector))) and (gap or bridge or legs or cavity or elevated or space) and beam and shield	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:20

EAST Search History

L25	71	(bolometer or microbolometer or micro-bolometer or ((thermal or infrared) adj (sensor or detector))) and (gap or bridge or legs or cavity or elevated or space) and beam and shield and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:20
L26	19	(bolometer or microbolometer or micro-bolometer or ((thermal or infrared) adj (sensor or detector))) and (gap or bridge or legs or cavity or elevated or space) and shield and (beam with (thickness or length or size)) and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:28
L27	23	(bolometer or microbolometer or micro-bolometer or ((thermal or infrared) adj (sensor or detector))) and shield and (beam with (thickness or length or size)) and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:21
L28	73	(bolometer or microbolometer or micro-bolometer or ((thermal or infrared) adj (sensor or detector))) and (shield or cover) and (beam with (thickness or length or size)) and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:22
L37	3	((thermal or infrared) near2 (sensor or detector) and (beam with thickness) and shield).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:36